



Alpine Tree Service, INC.

Your Full Service
Tree Care Provider

The Bluffs Tree Mitigation

Phase One

Estimated @ \$44,000.00

Tree #	Type	DBH	Rating	Notes
187	Aspen	11" DBH	7	
188	N/A			
189	Aspen	9" DBH	7	
190	Aspen	13" DBH	6	
191	Spruce	22" DBH	2	good location, nice tree
192	Spruce	18" DBH	4	
193	Spruce	23" DBH	3	
194	Spruce	24" DBH	3	
195	Aspen	11" DBH	8	tagged for removal by ArborCare
196	Aspen	12" DBH	7	
197	Aspen	13" DBH	7	
198	Spruce	20" DBH	8	too close to the building, tagged for removal, cannot grind stump (access)
199	Spruce	30" DBH	2	very nice, very large tree
200	Spruce	24" DBH	3	
201	Spruce	22" DBH	3	
202	Spruce	15" DBH	4	
203	Spruce	17" DBH	4	
203A	Aspen	11" DBH	8	tagged for removal.
204	Aspen	16" DBH	9	tagged, steep decline, base issues
205	Aspen	11" DBH	7	
206	Aspen	13" DBH	8	declining
255	Spruce	20" DBH	5	good trees, but block the light and views
256	Spruce	28" DBH	4	two had tags
257	Spruce	30" DBH	4	the biggest should be pruned
258	Spruce	26" DBH	4	

259-266	Cottonwood/Sand Willow	Mixed thicket of cottonwood and sand willow along the property line, most on the neighbors property. Effective but junky. Neighbors have done work		
267	Spruce	22" DBH	3	provides screening, absorbs a lot of light
268	Spruce	26" DBH	8	remove - too close to building, buttress roots compromised - tagged
269	Spruce	14" DBH	7	
270	N/A			
271-274	Cottonwood	8"-12" DBH		young, in good health, good shade trees, growing towards the sun
275	Aspen	16" DBH	7	declining a lot
276	Aspen	14" DBH	8	perennial canker, crown die back
278-280	Aspen	14"-20" DBH	8	decay at base, crown decline, girdling
281	Aspen	16" DBH	8	problems
282	Aspen	8" DBH	6	
283	Aspen	11" DBH	8	through deck, crown death
284	Aspen	12" DBH	8	crown death
285-286	Aspen	10" DBH	7	same tree
287	Aspen	10" DBH	8	really close to the house, crown death
288A	Aspen	6" DBH		dead. Remove
288	Aspen	12" DBH	8	basal decay, crown decline
289	Spruce	24" DBH	7	really close to the building
290	Spruce	19" DBH	8	really close to the building, roots out
291	Spruce	16" DBH	6	really close to parking
292	Spruce	25" DBH	2	
293	Spruce	25" DBH	5	good tree, too close to building and chimney
294	Aspen	8" DBH	6	
295	Spruce	27" DBH	3	too close, nice tree
296	Spruce	22" DBH	4	
297	Spruce	25" DBH	2	
298	Aspen	12" DBH	8	under cut, declining crown, poor structure
299	Aspen	9" DBH	8	really poor tree
300	Aspen	10" DBH	7	mites
301	Aspen	9" DBH	7	
302	Aspen	11" DBH	6	
303	Aspen	11" DBH	7	
304	Spruce	28" DBH	9	fissure at 8ft, points towards house, failure possible. Remove.
305	Aspen	13" DBH	5	
306	Aspen	13" DBH	5	
307	Aspen	16" DBH	8	girdling roots, crown decline
308	Aspen	6" DBH	7	
309	Aspen	6" DBH	6	
310	Aspen	14" DBH	8	in decline
311	Aspen	11" DBH	7	
312	Aspen	10" DBH	7	
313	Spruce	20" DBH	5	almost perfect tree - but the view...
314	N/A			
315	Crabapple	3" DBH		getting damaged by weed eaters
316	Aspen	9" DBH	7	

317	Aspen	10" DBH	6	young, healthy, way too close to the building
318	Aspen	13" DBH	8	too close, girdling, crown decline
319	Aspen	10" DBH	6	young, healthy, way too close to the building
320	Aspen	11" DBH	8	too close, girdling, crown decline
321	Aspen	9" DBH	8	canker, small, leans, poor quality
322	Spruce	23" DBH	5	
323	Aspen	12" DBH	8	too close, in decline
324	Aspen	13" DBH	8	too close, in decline
325	Spruce	27" DBH	8	way too close, buttress roots out, borderline hazardous, may be an insurance issue
326	Spruce	17" DBH	4	
327	Spruce	28" DBH	2	wow
328	Aspen	16" DBH	7	
329	Aspen	14" DBH	6	
330	Aspen	6" DBH	8	small, bent, dying tree
331	Aspen	9" DBH	7	
332	Aspen	11" DBH	7	
333	Juniper	18'	n/a	these are really good screening for the pool. Smart choice, some snow and elk
334	Juniper	16'	n/a	
335	Spruce	26" DBH	5	leans, one side poorly developed
336	N/A			
337	Spruce	26" DBH	4	good tree, obstructs the view
338	Aspen	15" DBH	8	declining, view block issues
339	Aspen		7	insect and disease issue, cluster of small suckers
340	N/A			
341	Aspen	12" DBH	6	not bad
342	Aspen	11" DBH	10	dead, hazardous - remove
343	Aspen	11" DBH	9	pretty bad
344	Aspen	13" DBH	10	base conch, hazardous
345	Aspen	9" DBH	7	leans, healthy
346	Aspen	14" DBH	9	lots of crown death
347	Spruce	24" DBH	3	
348	Aspen	19" DBH	6	
349	N/A			
350	Aspen	13" DBH	8	really should come down
351	Aspen	13" DBH	7	
352	Aspen	10" DBH	7	
353	Aspen	11" DBH	7	
354	Spruce	24" DBH	8	too close to the building
355	Aspen	10" DBH	8	dying and crooked
355A	Aspen	10" DBH	8	die back
356	Spruce	20" DBH	8	too close
357	Plum/Crab	6" DBH		nice young tree damaged by weedeater
358	Aspen	13" DBH	9	remove - so many problems
359	Spruce	24" DBH	6	leans, crowded
360	Aspen	10" DBH	7	
361	Spruce	28" DBH	3	
362	Aspen	11" DBH	5	
363	Spruce	18" DBH	4	

364	Spruce	26" DBH	3	
365	Spruce	28" DBH	3	
366	N/A			
367	Spruce	30" DBH	2	great!
368	Spruce	28" DBH	3	
369	Spruce	24" DBH	5	funky branching pattern
370	Spruce	17" DBH	5	
371	Spruce	18" DBH	4	
372	Aspen	10" DBH	6	
372A	Aspen	14" DBH	6	
373	Aspen	13" DBH	7	
374	Aspen	17" DBH	8	declining
375	N/A			
376	Aspen	14" DBH	6	
377	Aspen	11" DBH	6	
378	Spruce	24" DBH	8	way too close
379	Aspen	11" DBH	7	leans
380	Aspen	18" DBH	8	hard lean to parking
381	Aspen	16" DBH	8	
382	Aspen	13" DBH	7	
383	Aspen	10" DBH	7	
384	Aspen	11" DBH	7	
385	Aspen	14" DBH	7	
386	Aspen	11" DBH	7	
387	Aspen	15" DBH	9	remove - big canker, cytospora, lean, crowded
388	Spruce	12" DBH	6	too crowded to other tree
389	Aspen	10" DBH	7	pretty poor tree
390	Spruce	22" DBH	4	good tree
391	Spruce	14" DBH	6	too crowded to other tree
392	Spruce	20" DBH	2	nice
393	Spruce	22" DBH	5	too close to house
394	Aspen	12" DBH	8	poor crown, poor structure
395	Spruce	17" DBH	6	damage to roots and stem, blocks view
396	Cottonwood	8" DBH	7	poor quality
397+398	Aspen	Many		remove - poor quality, suckers
399	Spruce	24" DBH	3	nice - blocks view
400	Aspen	11" DBH	7	pretty good
401	Spruce	24" DBH	3	
402	Spruce	26" DBH	4	
403	Aspen	10" DBH	5	
404	Aspen	12" DBH	5	



Alpine Tree Service, INC.

Your Full Service
Tree Care Provider

The Bluffs Tree Mitigation

Phase Two

Estimated @ \$38,000.00

Tree #	Type	DBH	Rating	Notes
1	Aspen	10" DBH	9	old, diseased, dying
1A	Aspen	10" DBH	9	old, diseased, dying
2	Aspen	12" DBH	9	old, diseased, dying
3	Aspen	12" DBH	9	old, diseased, dying
4	Aspen	11" DBH	9	old, diseased, dying
5	Spruce	16" DBH	5	crowded
5A	Spruce	19" DBH	6	poor structure
6	Cottonwood	16"/8" DBH	5	codominant, young
7	Cottonwood	11" DBH	6	
8	Cottonwood	10" DBH	7	phototropic, crowds spruce
9	Cottonwood	12" DBH	6	decent tree
10	Cottonwood	14"/12" DBH	6	codominant, leans west
10A	Cottonwood	8" DBH	8	really poor growth
11	Aspen	15" DBH	3	nice, mature tree
12	N/A			
13	Cottonwood	16"/7"/10" DBH	8	remove 2 stems - dead/dying
14	Cottonwood	12" DBH	6	
15	Cottonwood	10" DBH	6	
16	Cottonwood	9"/14" DBH	7	base decay
17	Cottonwood	12" DBH	8	structural problems
18	Cottonwood	14" DBH	6	leans
19	Spruce	11" DBH	3	nice, young tree
20	Removed			
21	Removed			
22-25	Cottonwood	20" DBH	5	these trees are a good bank stabilizer

26	Cottonwood	26" DBH	4	really good shade tree, aging
27-34	Cottonwood	cluster	5	good bank retention, medium quality trees
35	Spruce	18" DBH	2	nice tree
36	Spruce	18" DBH	4	crowds the building a little
37	Aspen	13" DBH	7	old, declining
38	These trees have been removed in the recent past			
39				
40				
41				
42	Aspen	10"/8" DBH	8	codominant
43	Aspen	12" DBH	8	
44	Aspen	13" DBH	6	poor crown
45	Spruce	17" DBH	3	too close to building, nice tree
46	Aspen	7" DBH	8	poor structure, crowds spruce
47	Aspen	10"/10" DBH	6	poor structure
48	N/A			
49	Spruce	20" DBH	3	nice tree
50	Aspen	14" DBH	8	aging, declining, remove soon
51	Aspen	14" DBH	9	aging, declining, remove soon
52	Aspen	13" DBH	9	aging, declining, remove soon
53	Spruce	19" DBH	3	
54	Spruce	15" DBH	5	crowded to aspen, poor crown
55	Aspen	11" DBH	7	
56	Aspen	9" DBH	8	structural problems
57	Aspen	8" DBH	6	okay
57A	Aspen	8" DBH	8	declining
58	Spruce	15" DBH	5	grazed, blocks views
59	Spruce	17" DBH	4	good, healthy tree, blocks views
60	Aspen	13" DBH	9	base decay, recommend removal
61-63	Aspen	12"-14" DBH	6	
64	Spruce	18" DBH	5	
65, 65A	Aspen	13" DBH x 2	7	two large aspen close to the building, overhanging the roof, Joy (4121) wants them gone
65-71	Aspen	7"-10" DBH	7-9	collection of aging, declining poplars, select trees tagged for removal
72	Spruce	18" DBH	3	nice tree
73	Cottonwood	12"/14" DBH	9	codominant, aging, declining, poor tree
74,75	Aspen	collection	6	collection of aspen
76	Aspen	10" DBH	6	okay
77	Aspen	14" DBH x 2	8	codominant, lean, getting dangerous
78	Spruce	20" DBH	4	okay
79	Spruce	19" DBH	5	
80-82	Aspen	10" DBH	5	okay
83-90	removed - really opens the area			
91-100	Aspen	8-12" DBH	6	typical, not noteworthy, block the view
101	Aspen	13" DBH	9	base canker, obstructs view
102	Aspen	15" DBH	6	decent shade tree

103	Aspen	11" DBH	6	
104	Aspen	14" DBH	5	
105	Aspen	10" DBH	7	leans towards building
106	Spruce	19" DBH	3	nice tree. Lifting walkway
107	Aspen	10" DBH	6	
108	N/A			
109	Spruce	24" DBH	5	was overcrowded, recovering
110	Aspen	14" DBH	8	base decay, girdling roots
111	Aspen	12" DBH	5	good, aging tree
112	Removed			
113				
114				
115				
116				
117				
118				
119	Aspen	9" DBH	6	
120	Removed			
121	Spruce	13" DBH	5	
122	Aspen	11" DBH	7	
122A	Aspen	4" DBH	8	really poor form
123	Aspen	8" DBH	9	hazard
124	Aspen	6" DBH	8	
125	Aspen	11"/10" DBH	7	co-dominant, structural issues
126	Aspen	11"/10" DBH	8	co-dominant, girdling root, fungal canker
127	Spruce	15" DBH	6	
128	Spruce	18" DBH	4	
129	Spruce	19" DBH	4	
130/130A	Aspen	6"/4" DBH	8	contributes nothing to the landscape, poor quality
131/131A	Aspen	9" DBH x2	7	
132	Aspen	11" DBH	9	Remove
133	Spruce	18" DBH	4	
134-137	Aspen	9"-13" DBH	6-7	
138	Spruce	18" DBH	6	
139/140	Aspen	10"/12" DBH	8	
141	Spruce	20" DBH	6	problems in the crown
142	Spruce	20" DBH	5	
143/144	Lilac Shrubs			
145	Aspen	9" DBH	8	trees is bent, crown death
146	Aspen	10"/11" DBH	6	co-dominant
147	Aspen	14" DBH	6	structural issues
148	Aspen	14" DBH	6	structural issues
149	Aspen	10" DBH	7	trees is bent, girdling root
150	Aspen	11" DBH	7	leaning
151	Aspen	8" DBH	8	vascular problems, lack of abscission
152	Aspen	7" DBH	8	vascular problems, lack of abscission
153	Spruce	22" DBH	2	nice tree
153A	Spruce	12" DBH	8	cytospora, poor health and form

154	N/A			
155	Spruce	22" DBH	2	nice
156	Spruce	24" DBH	4	lean, superadequate (means it's a reduntant tree)
157	Spruce	21" DBH	4	good tree, inadequant light
158	Spruce	14" DBH	7	
159	N/A			
160	Aspen	10" DBH	7	
161	Aspen	6" DBH	8	
162	Aspen	8" DBH	7	
163	Aspen	10" DBH	10	hazard, tagged
164	Aspen	10" DBH	8	structural problems
165	Aspen	12" DBH	7	
166	Aspen	7" DBH	8	problems with roots
167	Aspen	15" DBH	6	These trees are all average in their form, appearance, and function. They are, however, a monoculture.
168	Aspen	15" DBH	5	
169	Aspen	10" DBH	7	
170	Aspen	11" DBH	7	
171	Spruce	16" DBH	5	
172	Spruce	18" DBH	5	
173	Spruce	16" DBH	4	
174	Spruce	16" DBH	4	
175	Spruce	17" DBH	3	
176	Spruce	16" DBH	5	
177	Spruce	16" DBH	4	
178	Spruce	14" DBH	3	
179	Spruce	26" DBH	2	
180	Aspen	7" DBH	8	damaged, dying
181	Aspen	11" DBH	4	
182	Aspen	9" DBH	6	
183	Spruce	23" DBH	3	
184	Spruce	17" DBH	4	
185	Spruce	22" DBH	2	nice, good location, may cause icing
207	Spruce	14" DBH	4	
208	Spruce	26" DBH	3	nice
209	Spruce	22" DBH	4	crowded
210	Aspen	15" DBH	5	
211	Removed			
212	Removed			
213	Spruce	24" DBH	4	
214	N/A			
215	N/A			
216	N/A			
217-220	removed, maples planted. Good species diversification, more is encouraged			
221	N/A			
207	Spruce	14" DBH	4	
208	Spruce	26" DBH	3	nice
209	Spruce	22" DBH	4	crowded
210	Aspen	15" DBH	5	
211	Removed			
212	Removed			
213	Spruce	24" DBH	4	
214	N/A			
215	N/A			
216	N/A			
217-220	removed, maples planted. Good species diversification, more is encouraged			
221	N/A			
222	Spruce	8" DBH	8	wrong plant, puts pressure on dry stack rock wall

223	Aspen	9" DBH	8	wrong plant, puts pressure on dry stack rock wall
224	Aspen	8" DBH	8	wrong plant, puts pressure on dry stack rock wall
225	Spruce	11" DBH	4	
226	Spruce	11" DBH	4	
227-229	removed			
230	Spruce	27" DBH	3	crowded, but nice
231	Spruce	22" DBH	4	
232	N/A			
233	N/A			
234	Spruce	13" DBH	5	
235	Spruce	12" DBH	5	
236	Spruce	10" DBH	5	
237	Aspen	10" DBH	5	
238	Spruce	13" DBH	5	
239	Spruce	16" DBH	5	
240	Spruce	18" DBH	5	
241	Spruce	16" DBH	5	
242	Aspen	10" DBH	9	remove - getting hazardous
243	Aspen	10" DBH	8	cytospora, going downhill
244	Spruce	18" DBH	3	
245	Aspen	10" DBH	7	
246	N/A			
247	N/A			
248	Aspen	12"/8" DBH	7	structural inclusion at the base
249	N/A			
250	N/A			
251	Spruce	19" DBH	3	much happier with the others removed
252/253	N/A			
254	N/A			